Application/Control Number: 10/711,672 Page 2

Art Unit: 2622

DETAILED ACTION

1. The amendment filed March 26, 2008 overcomes the following objection/rejection of the

last Office Action:

a. Objection to the specification;

b. Drawings objection to Fig 3, step S411; Fig 4A, step S511 and Fig 4B, step 511;

c. Claim rejection under 112 1st and 2nd paragraphs, since claims 9 and 18 have been

cancelled;

d. Claim rejection under 103, since claims 9 and 18 have been cancelled;

2. Claims 9 and 18 have been canceled.

Response to Arguments

3. Applicant's arguments filed 3/26/08 for claims 1-8, 10 - 14, and 19-20 have been fully

considered but they are not persuasive.

4. Regarding page 10, lines 9 - 13; where applicant cites [0009], Daiku, on referring "each

pixel of the single-plate-type color-image sensor 13 produces a pixel signal, and the pixel

signals are read one by one.", therefore, the pixels are sampled one by one in Daiku instead of

being sampled in groups. As discussed by Daiku, [0009] refers to the prior art. However, in

[0012], Daiku discloses his invention, referring to Figs 3A and 3B, where the pixels are sampled

not one by one but in groups instead of 6X6 blocks (or 6X6 sampling units as applicant claims).

Therefore, the invention claimed is not novel, since it is anticipated by Daiku.

For the reasons as stated above, the previous rejections are maintained.

Claim Rejections - 35 USC § 102

5. The text of those sections of Title 35, U.S. Code not included in this action can be found

in a prior Office action.

6. Claims 1-8, 10 - 14, and 19-20 are rejected under 35 U.S.C. 102(e) as being

anticipated by Hiroshi Daiku et al. US PG Pub. 2004/0017493 A1 (filing date 07/07/2003),

hereinafter, "Daiku".

Regarding claim 10, which recites:

A apparatus for sensing an image, the apparatus comprising a plurality of image

sensor cells being divided and grouped into a plurality of image cell groups, each of the image

cell groups comprising a portion of said image sensor cells, wherein an image sampling process

is performed on all of the image cell groups as sampling units and image signals are sampled and

generated therefrom.

(This claim is anticipated by Daiku for the following reasons. In paragraph [0004],

Daiku teaches a color image sensor composed by a pixel array (Fig. 1), comprising a plurality of

image sensor cells or pixels arrayed in a two-dimensional manner [0004] in groups composed of

four pixels, with one red (R) pixel, two green (G) and one blue (B), which are repeated

throughout the array in the Bayer pattern. The position of each pixel in the array or pixel matrix

is expressed by coordinates. Then, for instance, in the first row and first column, the red pixel

R1,1 is located; in the fourth row and third column, green pixel G3,4 is located and so on and so

forth. Therefore, the group of 4 pixels can be considered as the sampling unit. The readout out is

performed on all the image cells and the analog image signal generated by the each pixel is

converted into digital by an analog-digital (A/D) converter and outputted to a processing circuit.

In Figure 7A, Daiku also shows a digital signal processing unit and a CPU that would do the

image sensor cells sampling process.)

Regarding claim 11:

The apparatus as claimed in claim 10, wherein the image sampling process performed

on the image cell groups is determined by an image processing specification thereafter.

(This claim is rejected in view of the same rationale used in claim 10. It is inherent in

cameras/CMOS sensors technology to have image processing and associated system control

(CPU) for determining how the sampling process is performed.)

Regarding claim 12:

The apparatus as claimed in claim 10, wherein a number of the image sensor cells in

each of the image cell groups is the same.

(This claim is rejected in view of the same rationale used in claim 10. Daiku, [0004],

Page 5

teaches a sampling unit of 4 pixels that is repeated throughout the pixel array of Figure 1.

Therefore, it will keep the same number of pixels per pixel unit.)

Regarding claim 13:

The apparatus as claimed in claim 10, wherein a number of the image sensor cells in

each of the image cell groups is different from each other.

(This claim is rejected in view of the same rationale used in claim 10. In the expressions

written below the pixel array of Figure 8, Daiku teaches this limitation for the green pixel units

G1 and G2. G1 is composed by adding pixels such as $(1\times G2,1+1\times G1,2+1\times G3,2+1\times G2,3)/4$.

For the green pixel unit G2 he adds a different amount of green pixels, as $(1\times G1,1+1\times G6,1+1\times G6,1+$

 $4\times G5, 2 + 1\times G4, 3 + 1\times G6, 3$). One skilled in the art would interpret it as having pixel units with

different number of pixels (or sensor cells), since in G1 one has the total of one pixel for the

green pixel unit and for the green unit G2, one has the total of 7 pixels.)

Regarding claim 14:

The apparatus as claimed in claim 10, wherein all of the image sensor cells are

arranged in an array order, called image cell array.

(This claim is rejected in view of the same rationale used in claim 10. In Fig 1 and

paragraph [0004], Daiku teaches a pixel array, where the pixels are image cells and therefore, for

the one skilled in the art, they form a so called image cell array.)

Regarding claim 19:

The apparatus as claimed in claim 10, wherein each of the image sensor cells

comprising a plurality of color sensor units, the color sensor units being used to sense red, green

and blue lights, respectively.

(This claim is rejected in view of the same rationale used in claim 10. As discussed in the

aforementioned rejection, Daiku teaches in [0004] a color image sensor composed by a pixel

array (Fig. 1), comprising a plurality of image sensor cells or pixels arrayed in a two-dimensional

manner [0004] in groups composed by four pixels, with one red (R) pixel, two green (G) and

one blue (B) or in the Bayer pattern. This 4-pixel unit is repeated throughout the pixel array.)

Regarding claim 20:

The apparatus as claimed in claim 10, wherein each of the image sensor cells

comprises a color sensor unit, the color sensor unit being used to sense one of the red, green and

blue lights, respectively.

(This claim is rejected in view of the same rationale used in claims 10 and 18, since

Daiku, [0004], teaches a pixels array (Fig. 1) composed by a plurality of color sensors, with the

smallest unit comprising 4 pixels, one red (R), two green (G) and one blue (B), which would

sense the light wavelengths corresponding to each filter. Therefore, the "blue sensor" has a blue

filter, which would permit only blue light component to pass through it and to be absorbed by the

photodiode. The same rationale is applied to the other color filters.)

Application/Control Number: 10/711,672 Page 7

Art Unit: 2622

Regarding claims 1-8, which pertain to a method comprising steps corresponding to elements of

apparatus claims 10 - 20. Thus, claims 1-8 are rejected as applied to claims 10-20 because

operating the apparatus of claims 10-20 would have inherently necessitated performing the

method steps as recited in claims 1-8.

Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time.

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

1. Yasuhiro Yamamoto, US 5,526,048 A

2. Schemmel et al., US 5,943,551 A

Application/Control Number: 10/711,672 Page 8

Art Unit: 2622

3. Mabuchi et al., US PG Pub 2002/0100921 A1

4. Tetsuya Iizuka, US PG Pub 2002/0158980 A1

5. Kuno et al., US PG Pub 2003/0081132 A1

6. Sergey N. Bezryadin, US PG Pub 2003/0214594 A1

7. Sandini et al., US 7,009,645 B1

8. Boreman et al., US 7,095,027 B1

Contact

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARLY CAMARGO whose telephone number is (571)270-3729. The examiner can normally be reached on 6:00AM - 10PM, M-F, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lin Ye can be reached on (571)272-7372. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/711,672 Page 9

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Marly Camargo Patent Examiner

AU 2622 KNX 7D75

Phone: (571) 270-3729

e-mail: marly.camargo@uspto.gov

/Lin Ye/

Supervisory Patent Examiner, Art Unit 2622